




# Pond Catalogue 2024.



Professional technology.



## Everything you need for Koi & fish ponds.

Koi Pro products are professional products designed to meet the needs of ponds and Koi enthusiasts. We deliver high-quality products and accessories for specialized Koi and pond keeping.

### Index.

Go to:

**Filters.**

Page 2 >

**Pump connection materials.**

Page 6 >

**FujiMAC airpumps.**

Page 7 >

**Aeration accessories.**

Page 8 >

**Pond accessories.**

Page 11 >

All prices stated are recommended retail prices (incl. VAT). These prices may therefore differ from the retail prices in a shop or with an Internet supplier, you cannot derive any rights from them.

Despite all the care taken with the text, the publisher cannot accept liability for any damage that may arise from any errors that may appear in this catalogue. We are not responsible for any printing errors.



# Koi Pro Drum Filters



## Koi Pro Drum 30.000 UV

The Koi Pro Drum 30,000 is a low-maintenance pre-filter system that ensures healthy, clear water with low maintenance without the need for daily user maintenance. Available in 2 models for installation as Gravity or Pump-fed Drum Filter.



Compact design (84.5 x 48 x 51 cm) made of high-quality polypropylene. Equipped with 2 inlets 110mm and 2 outlets 110mm, maximum Water Flow in Pump setup 20M3/hour.

The built-in 40W high output UVC cleans the drum screen and keeps algae growth under control. The UVC is placed under the drum, making it highly effective and safely shielded.

Recommended for ponds up to 30M3 capacity, supplied complete with, 40W High Output UVC, Brass spray nozzles, Tip cleaning pump, 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

### KOI PRO DRUM 30.000 UV POMP.

S.R.P.

**£2.149,00**

Art. no.: N6050090



8 715897 339233

### KOI PRO DRUM 30.000 UV GRAVITY.

S.R.P.

**£2.149,00**

Art. no.: N6050095



8 715897 339073




## Supplied with:




### T.I.P. pump

Self-priming jet garden pump with stainless steel pump housing and on-off switch. Suitable for use under the harshest conditions.




### Hi Flow Screen panel

120 µm INOX316L screen panel of the drum, to filter small dirt particles out of the water by mechanical filtration.



### Built-in immersion UVC

Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view



### Control Box

For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.

Model	Combi Drum 30000 Pump fed filter	Combi Drum 30000 Gravity filter
Maximum pond content	30.000 litres	30.000 litres
Max. pump capacity	17.500 L/h	17.500 L/h
UVC	Built-in 40 Watt High Output immersion UVC	Built-in 40 Watt High Output immersion UVC
Rinse pump	T.I.P. pump, 550 Watt, 4,2 Bar	T.I.P. pump, 550 Watt, 4,2 Bar
Filter size	84,5 x 48 x 51 cm	84,5 x 48 x 51 cm
Inlet	2x Ø 110 mm	2x Ø 110 mm
Outlet	2x Ø 110 mm	2x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm

## Combi Drum 30.000

The Koi Pro Combi Drum 30,000 is a low-maintenance pre-filter and biological filter system in 1. This self-cleaning Combi Filter ensures healthy, clear water without the user having to perform daily maintenance. Available in 2 models for installation as Gravity or Pump-fed Drum Filter.



Compact design (117 x 87 x 74.5 cm) made of high-quality polypropylene, with all inlets, outlets and dirty water discharge on one side of the filter. Equipped with 2 inlets 110mm and 2 outlets 110mm, maximum Water Flow 17.5M3/hour. The biological filter chamber is equipped with a Hi-Oxy air stone with 8/12 mm air hose and quick connection for optional air pump (recommended 1200 L/h).

The built-in 40W high output UVC cleans the drum screen and keeps algae growth under control. The UVC is placed under the drum, making it highly effective and safely shielded. You fill the filter chamber yourself with filter media of your choice, Koi Pro recommends Aqwise Floating Bed media or Koi Pro Japanese mats.

Recommended for ponds up to 30M3 capacity, supplied complete with, 40W High Output UVC, Brass spray nozzles, built-in high-pressure flushing pump (750 Watt, 4 Bar), 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

### KOI PRO COMBI DRUM 30.000 PUMP.

S.R.P.

**£2.849,00**

Art. no.: N6050100



### KOI PRO COMBI DRUM 30.000 GRAVITY.

S.R.P.

**£2.849,00**

Art. no.: N6050105




**Pump fed filter**  
Video Pump fed filter



**Gravity filter**  
Video Gravity filter




### Supplied with:




#### Control Box

For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.



#### Hi Flow Screen panel

Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.



#### Built-in immersion UVC

Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view



#### Self cleaning.

Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.

Model	Combi Drum 30000 Pump fed filter	Combi Drum 30000 Gravity filter
Maximum pond content	30.000 litres	30.000 litres
Max. pump capacity	17.500 L/h	17.500 L/h
UVC	Built-in 40 Watt High Output immersion UVC	Built-in 40 Watt High Output immersion UVC
Rinse pump	Built-in 750 Watt high pressure pump (4 Bar)	Built-in 750 Watt high pressure pump (4 Bar)
Filter size	117 x 87 x 74,5 cm	117 x 87 x 74,5 cm
Inlet	2x Ø 110 mm	2x Ø 110 mm
Outlet	2x Ø 110 mm	2x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm
Optional biological filter media	Aqwise floating bed media or Combi Drum Japanese matting cartridge	Aqwise floating bed media or Combi Drum Japanese matting cartridge



## Combi Drum 60.000

The Koi Pro Combi Drum 60,000 is a low-maintenance pre-filter and biological filter system in 1. This self-cleaning Combi Filter ensures healthy, clear water without the user having to perform daily maintenance. Available in 2 models for installation. Gravity or Pump-fed Drum Filter. The 2 x integrated UVC lamps can be installed on the back or side for flexible set-up.



Compact design (128 x 90 x 101.5 cm) made of high-quality polypropylene, with all inlets, outlets and dirty water discharge on one side of the filter. Equipped with 4 inlets 110mm and 3 outlets 110mm, maximum Water Flow 30M3/hour. The biological filter chamber is equipped with a Hi-Oxy air stone with 8/12 mm air hose and quick connection for optional air pump (recommended 3600 L/h).

The two built-in 40W high-output UVCs clean the drum screen and keep algae growth under control. The UVCs are positioned under the drum and are therefore shielded very effectively and safely. You fill the filter chamber yourself with filter media of your choice, Koi Pro recommends Aqwise Floating Bed media or Koi Pro Japanese mats.

Recommended for ponds up to 60M3 capacity, supplied complete with, 2 x 40W High Output UVC, Brass spray nozzles, built-in high-pressure flushing pump (750 Watts, 4 Bar), 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

### KOI PRO COMBI DRUM 60.000 PUMP.

S.R.P.

**£4.449,00**

Art. no.: N6050115



8 715897 339080

### KOI PRO COMBI DRUM 60.000 GRAVITY.

S.R.P.

**£4.449,00**

Art. no.: N6050120



8 715897 339097



### Supplied with:

**Control Box**  
For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.

**Hi Flow Screen panel**  
120 µm INOX316L screen panel of the drum, to filter small dirt particles out of the water by mechanical filtration.


**2x Built-in immersion UVC**  
Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view

**Self cleaning.**  
Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.

Model	Combi Drum 60000 Pump fed filter	Combi Drum 60000 Gravity filter
Maximum pond content	60.000 litres	60.000 litres
Max. pump capacity	30.000 L/h	30.000 L/h
UVC	2x Built-in 40 Watt High Output immersion UVC	2x Built-in 40 Watt High Output immersion UVC
Rinse pump	Built-in 750 Watt high pressure pump (4 Bar)	Built-in 750 Watt high pressure pump (4 Bar)
Filter size	128 x 90 x 101,5 cm	128 x 90 x 101,5 cm
Inlet	4 x Ø 110 mm	4 x Ø 110 mm
Outlet	3 x Ø 110 mm	3 x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm
Optional biological filter media	Aqwise floating bed media or Combi Drum Japanese matting cartridge	Aqwise floating bed media or Combi Drum Japanese matting cartridge

## Recommended filter media for the biological filter chamber:

### Combi Drum with AqWise media



### AqWise Filter media

AqWise moving filter media is our recommendation as the best filling of the biological filter chamber of the Combi Drum filters, Aqwise in combination with a strong air pump guarantees 30% better filter performance.

**Recommended amount of Aqwise for filling the biological filter chamber, Combi Drum 30000: 50 litres, Combi Drum 60000: 100 litres.**

#### KP COMBI DRUM AQWISE MEDIA 50L.

S.R.P.  
**£84,99**


Art. no.: N6050133



8 715897 320989



### Combi Drum with Koi Pro matting



### Koi Pro matting

Koi Pro mat cassette with a huge bacteria adhesion surface, the best biological medium for Koi filters.



Handy custom-made cassette for the Koi Pro Combi Drum 30,000.

#### KP COMBI DRUM JAPANMAT CARDR.

S.R.P.  
**£329,99**


Art. no.: N6050130



8 715897 319426



### Optional:



### Protective cap

Handy plastic protective cover for the Koi Pro Drum and Combi Drum Filters, protects the control box and flush pump condenser box from splashing water and rain.

**With this protective cover, you do not need to mount the electric controller inside but can attach it safely and securely to the Koi Pro filter.**

#### KP COMBI DRUM PROTECTION COVER.

S.R.P.  
**£89,99**

Art. no.: N6050127



8 715897 320644

### Replacement lamps



High Output UV 40W replacement lamp for the Koi Pro Drum Filter 30,000 and the Koi Pro Combi Drum 30,000 and 60,000.

**High Output T5 UV lamp, guaranteed 8000 burning hours.**

**Replace the UVC lamp annually, preferably in spring for optimal operation. Just because a bulb is burning does not mean it still has useful radiation, as the UV radiation decreases and is no longer effective after 8000 hours of operation.**

#### KP COMBI DRUM UV LAMP 40W HO.

S.R.P.  
**£42,99**

Art. no.: N6050125



8 715897 319419



### Hi Flow Screen panel

High-flow sieve panel 120 µm for the Koi Pro Drum Filter 30,000 and the Koi Pro Combi Drum 30,000.

**Curved packed in protective box for convenient installation!**

#### KP COMBI DRUM SCREEN HI FLOW.

S.R.P.  
**£121,99**

Art. no.: N6050110



8 715897 316937



# Flexible couplings



Koi Pro Flex couplings offer many advantages when connecting different sizes and types of PVC pipes. Flex couplings are also ideal for connecting PVC to poorly adhesive materials such as stainless steel, PE, PP, fibreglass and concrete, rainwater drainage, sewer and sanitary discharge.


Unique features include quick assembly, glue not required, easy connection of pipes of different materials, easy disassembly for maintenance and good resistance to low temperatures.

Advantages; flexible, even if the pipe dimensions deviate slightly from the standard. Installation also possible during frost, suitable for emergency repairs, fast repair of breakages and leaks. The Flex couplings dampen vibrations of pumps and other installations and prevent stress fractures in pipe systems.





## Flex Elbow


**FLEX ELBOW 40.**  
S.R.P.  
**£8,49**  
Art. no.: 08086050  


**FLEX ELBOW 50 MM.**  
S.R.P.  
**£8,99**  
Art. no.: 08086055  


**FLEX ELBOW 63 MM.**  
S.R.P.  
**£9,99**  
Art. no.: 08086060  



**FLEX ELBOW 75 MM.**  
S.R.P.  
**£18,49**  
Art. no.: 08086063  



**FLEX ELBOW 90 MM.**  
S.R.P.  
**£14,49**  
Art. no.: 08086065  


**FLEX ELBOW 110 MM.**  
S.R.P.  
**£19,49**  
Art. no.: 08086070  


**FLEX TEE 40 MM.** **Flex Tee**  
S.R.P.  
**£9,99**  
Art. no.: 08086075  



**FLEX TEE 50 MM.**  
S.R.P.  
**£9,99**  
Art. no.: 08086080  



**FLEX TEE 63 MM.**  
S.R.P.  
**£11,49**  
Art. no.: 08086085  



**FLEX TEE 90 MM.**  
S.R.P.  
**£19,49**  
Art. no.: 08086090  



**FLEX TEE 110 MM.**  
S.R.P.  
**£28,49**  
Art. no.: 08086095  



## Flex Reducers


**FLEX REDUCER 50/40 MM.**  
S.R.P.  
**£4,49**  
Art. no.: 08086100  


**FLEX REDUCER 63/50 MM.**  
S.R.P.  
**£4,99**  
Art. no.: 08086105  



**FLEX REDUCER 90/63 MM.**  
S.R.P.  
**£7,99**  
Art. no.: 08086110  


**FLEX REDUCER 90/50 MM.**  
S.R.P.  
**£7,49**  
Art. no.: 08086115  


**FLEX REDUCER 110/50 MM.**  
S.R.P.  
**£9,99**  
Art. no.: 08086120  


**FLEX REDUCER 110/63 MM.**  
S.R.P.  
**£9,49**  
Art. no.: 08086125  


**FLEX REDUCER 110/75 MM.**  
S.R.P.  
**£13,49**  
Art. no.: 08086127  


**FLEX REDUCER 110/90 MM.**  
S.R.P.  
**£8,99**  
Art. no.: 08086130  



**FLEX REDUCER 125/110 MM.**  
S.R.P.  
**£14,49**  
Art. no.: 08086131  


**FLEX REDUCER 135/110 MM.**  
S.R.P.  
**£12,49**  
Art. no.: 08086133  


## Flex Connectors

**FLEX CONNECTOR 40 MM.**  
S.R.P.  
**£3,99**  
Art. no.: 08086135  


**FLEX CONNECTOR 50 MM.**  
S.R.P.  
**£4,49**  
Art. no.: 08086140  


**FLEX CONNECTOR 63 MM.**  
S.R.P.  
**£4,99**  
Art. no.: 08086145  



**FLEX CONNECTOR 75 MM.**  
S.R.P.  
**£10,99**  
Art. no.: 08086147  


**FLEX CONNECTOR 90 MM.**  
S.R.P.  
**£6,99**  
Art. no.: 08086150  



**FLEX CONNECTOR 110 MM.**  
S.R.P.  
**£9,49**  
Art. no.: 08086155  


## Flex Endcaps

**FLEX ENDCAP 40 MM.**  
S.R.P.  
**£2,49**  
Art. no.: 08086160  


**FLEX ENDCAP 50 MM.**  
S.R.P.  
**£2,49**  
Art. no.: 08086165  


**FLEX ENDCAP 63 MM.**  
S.R.P.  
**£2,99**  
Art. no.: 08086170  


**FLEX ENDCAP 90 MM.**  
S.R.P.  
**£3,99**  
Art. no.: 08086175  


**FLEX ENDCAP 110 MM.**  
S.R.P.  
**£4,99**  
Art. no.: 08086180  




All couplings are provided with an information label

### Flex Connector 40 mm

- For pond, drain, waste water only
- Not suitable for potable water
- To install, tighten clamps with 6.5 Nm torque
- Test couplings for possible leakage
- Max. water temp. 38°C



Produced in China for:  
[www.aquadistri.com](http://www.aquadistri.com)  
Vilteweg 6, 4191 LZ Nieuw-Ed, NL

**FOR DEALERS ONLY**

## FujiMAC Air pumps

Highly durable and efficient pond air pumps developed and manufactured in Japan. These compact air pumps are energy-efficient, quiet and produce little internal heat which prolongs the durability of the synthetic rubber (EPDM) membranes.



Very quiet operation, the noise level is between 32 dB for the smallest model and 41 dB for the largest.

Energy-efficient, optimum air output at minimum consumption, also these pumps produce little internal heat, this extends the durability of the synthetic rubber (EPDM) membranes out.

Top quality from Japan with 3-year warranty!



**New!**



### FUJIMAC 40 KII.

S.R.P.

**£234,99**

Art. no.: N7010500



### FUJIMAC 60 KII.

S.R.P.

**£264,99**

Art. no.: N7010550



### FUJIMAC 80 KII.

S.R.P.

**£319,99**

Art. no.: N7010553



**New!**

### FUJIMAC 100 KII.

S.R.P.

**£399,99**

Art. no.: N7010555



### FUJIMAC 150 KII.

S.R.P.

**£639,99**

Art. no.: N7010560



### FUJIMAC 200 KII.

S.R.P.

**£679,99**

Art. no.: N7010565



### FUJIMAC 250 KII.

S.R.P.

**£849,99**

Art. no.: N7010570



### FUJIMAC 300 KII.

S.R.P.

**£999,99**

Art. no.: N7010575



INDEX

### Optional:



### Reducer

Reduction piece from 26 to 18 mm for connecting the FujiMAC 150/200/250/300.

### FUJIMAC REDUCER 26-18MM.

S.R.P.

**£13,99**

Art. no.: N7010625



8-12 mm

18 mm

### Stainless steel valve

Tap and reducer. The inlet of tap is connected to the 18 mm rubber outlet of the FujiMAC or Koi Pro Air Blow. The outlet connects to armed air hose 8/12 mm. The air flow can be controlled with the tap.

### FUJIMAC VALVE & REDUCER 18 TO 8-12MM.

S.R.P.

**£14,99**

Art. no.: N7010630



Model	FujiMAC 40 KII	FujiMAC 60 KII	FujiMAC 80 KII	FujiMAC 100 KII	FujiMAC 150 KII	FujiMAC 200 KII	FujiMAC 250 KII	FujiMAC 300 KII
Max. Pump cap.	2400 L/h	3600 L/h	4800 l/h	6000 L/h	9000 L/h	12000 L/h	15000 L/h	18000 L/h
Pressure*	0,012 MPA	0,015 MPA	0.015 MPa	0,018 MPA	0,020 MPA	0,020 MPA	0,020 MPA	0,020 MPA
Power	27 Watt	35 Watt	47 Watt	68 Watt	100 Watt	140 Watt	186 Watt	250 Watt
Db	32	35	36	36	41	43	48	50
Size cm	18x16x19	18x16x19	18x16x19	18x16x19	30x18x19,8	30x18x19,8	30x18x19,8	30x18x19,8
Outlet mm	18	18	18 mm	18	26	26	26	26
Weight	5,3 KG	5,3 KG	5,4 kg	5,4 KG	9,9 KG	9,9 KG	9,9 KG	10,2 KG
Manifold	08010090/ 95/100	08010090/ 95/100	08010090/ 95/100	08010090/ 95/100	N7010625 + N7010630	N7010625 + N7010630	N7010625 + N7010630	N7010625 + N7010630
Art. no.	N7010500	N7010550	N7010553	N7010555	N7010560	N7010565	N7010570	N7010575
Measured at depth:	1,2 metre	1,5 metre	1,5 metre	1,8 metre	2 metre	2 metre	2 metre	2 metre



# Aeration accessories.

## AirBlow

The Koi Pro Airblow is a professional pond air pump, specially designed for high air output and long life.



High air pressure, suitable for deeper ponds up to 3 metres water depth.

Perfect for Koi, large ponds, breeding, sales and quarantine systems with many outflow points.

Model	Air-Blow 50	Air-Blow 100
Max. Pump cap.	3.000 L/h	6.000 L/h
Pressure	0,045 MPA	0,040 MPA
Power	30 Watt	88 Watt
Dimensions	23 x 17,2 x 19 cm	26,4 x 18,7 x 21,5 cm
Art. no.	07020300	07020305



Airflow 3000 L/h. Consumption 30W, reliable quality. Top in its segment for over 15 years complete with a 2-year full warranty.

Airflow 6000 L/h. Consumption 88W, reliable quality. Top in its segment for over 15 years complete with 2-year full warranty.

### SF AIR BLOW 50.

S.R.P.

**£154,99**

Art. no.: 07020300



8 715897 204081

### SF AIR BLOW 100.

S.R.P.

**£189,99**

Art. no.: 07020305



8 715897 204098



### Optional:

## Stainless steel valve

Tap and reducer. The inlet of tap is connected to the 18 mm rubber outlet of the FujiMAC or Koi Pro Air Blow. The outlet connects to armed air hose 8/12 mm. The air flow can be controlled with the tap.

### FUJIMAC VALVE & REDUCER 18 TO 8-12MM.

S.R.P.

**£14,99**

Art. no.: N7010630



8 715897 321481



8-12 mm

18 mm

## Stainless steel Manifold

Stainless steel manifold with taps to distribute air to multiple outlets.

Made of stainless steel, so does not rust and is durable.



Air-Distributor



Air-Distributor



Air-Distributor



Professional air manifold with 3 taps for distributing air from larger air pumps to large air stones.

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

### STAINLES AIR DISTRIBUTOR WITH 6 OUTLETS.

S.R.P.

**£14,99**

Art. no.: 08010090



8 715897 018794

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

### STAINLES AIR DISTRIBUTOR WITH 12 OUTLETS.

S.R.P.

**£21,99**

Art. no.: 08010095



8 715897 018800

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

### STAINLES AIR DISTRIBUTOR WITH 18 OUTLETS.

S.R.P.

**£29,99**

Art. no.: 08010100



8 715897 018817

Connect to Ø18mm, the taps connect to reinforced air hose Ø8/12 mm.

### STAINLES AIR DISTRIBUTOR 8MM 3 OUTLETS.


S.R.P.

**£29,99**

Art. no.: 08010087



8 715897 338953



## Air-Connector

Plastic coupling for connecting a reinforced air hose (Ø 8/12 mm) to a standard air hose (Ø 4/6 mm).

### SF AIR CONNECTOR 4-6/8-12 MM.

S.R.P.

**£1,99**

Art. no.: 07010255



## Air Tube 8mm Y Connector

Plastic Y coupling for splitting reinforced air hose Ø 8/12 mm to 2 outlets.

### SF AIR T8MM Y CONNECTOR.

S.R.P.

**£1,99**

Art. no.: 07010257



## Air Tube 8mm connector

Plastic coupling for connecting reinforced 2 pieces of reinforced air hose Ø 8/12 mm.

### SF AIR T8MM CONNECTOR.

S.R.P.

**£1,49**

Art. no.: 07010259



## SF Air tube 8mm Return Valve

Check valve for reinforced air hose Ø 8/12 mm. Prevents water from flowing back through the air hose to the pump.

Protects your air pump from water damage!

### SF AIR T8MM NON RETURN VALVE.

S.R.P.

**£1,99**

Art. no.: 07010261



## BubbleTube T-piece 16mm

Handy T-piece for making a round bubble tube and connecting it to armed air hose Ø8-16 mm.

### KOI PRO BUBBLE TUT PIECE 16MM.

S.R.P.

**£2,29**

Art. no.: 08010180



## Bubble Tube Endcap 16mm

End cap to seal the end of a piece of Koi Pro bubble tube Ø 16 mm.

### KOI PRO BUBBLE TUEND CAP 16 MM.

S.R.P.

**£1,36**

Art. no.: 08010185



## Bubble Connector 16-8mm

Plastic coupling for connecting a bubble tube (Ø 16 mm) to a reinforced air hose Ø 8/12 mm.

### KOI PRO BUBBLE CONNECTOR 16-8/12 MM.

S.R.P.

**£3,66**

Art. no.: 08010190



## BubbleTube 25-16mm 30 meter

Perforated rubber air hose. This hose allows you to create your own tailor-made load system for the pond.

The micro pores in the hose create very small air bubbles for optimum pond water aeration.

The hose needs to be weighted down or secured to the bottom to prevent floating.

Supplied on a 30-metre roll, this bubble tube is also available by the metre from your Koi Pro dealer.

### KOI PRO BUBBLE TU25-16MM 30 METERS.

S.R.P.

**£2,99**

Art. no.: 08010175



## Reinforced air hose

Reinforced air hose for connecting larger air stones and air pumps.



The reinforcement makes the hose extremely strong and does not kink!

Supplied on a handy 10-metre roll.

### AIR TUREINFORCED 8/12 MM 10 MTR.

S.R.P.

**£29,99**

Art. no.: 08060110





# Air-Stones.

## Hi-Oxygen Airstone

These grey air stones are made of quartz sand and fired at high temperature allowing the stones to produce very fine air bubbles that last longer.


Always ensure sufficient and quality outflow to avoid unnecessary wear and tear on your air pump.



**HI OXY AIR STONE 13 X 3 CM BLISTER.**

S.R.P. **£5,99**

Art. no.: 08010120 



**HI OXY AIR STONE 7X1,5 CM BLISTER 2 PCS.**

S.R.P. **£4,49**

Art. no.: 08010125 



**HI OXY AIR STONE XXL 50 MM BLISTER.**

S.R.P. **£3,49**

Art. no.: 08010130 



**HI OXYGEN AIR STONE XXL 50 MM BOX 216 PCS.**

S.R.P. **£3,29**

Art. no.: 08010127 

Hi-Oxygen Koi airstone	Air hose	
Art. 08010120	22 x 4 cm	Ø 4-6 mm
Art. 08010125	7x1,5 cm 2 stuks	Ø 4-6 mm
Art. 08010130	50 mm XXL	Ø 4-6 , Ø 8 mm armed Air hose

## Hi-Oxygen Disk



**HI OXYGEN DISK Ø. 10CM.**

S.R.P. **£7,99**

Art. no.: 08010103 



**HI OXYGEN DISK Ø. 20CM.**

S.R.P. **£27,99**

Art. no.: 08010105 

Hi-Oxy disk	Air hose	
Art. 08010103	Ø 10 cm	Ø 4-6 mm
Art. 08010105	Ø 20 cm	Ø 8-12 mm armed Air hose

## Hi-Oxygen Koi Airstone



**HI OXYGEN KOI AIR STONE 22 X 4 CM.**

S.R.P. **£18,49**

Art. no.: 08010110 

**HI OXYGEN KOI AIR STONE 30 X 5 CM.**

S.R.P. **£26,99**

Art. no.: 08010115 

Hi-Oxygen Koi airstone	Air hose	
Art. 08010110	22 x 4 cm	Ø 4-6 mm
Art. 08010115	30 x 5 cm	Ø 4-6 mm



# Koi Pro Fish Feeder

## Koi Pro Fish Feeder

With the SuperFish Koi Pro Fish Feeder fish can be automatically feed. Easily adjustable to enable 1 to 24 feedings per day. Suitable for feed pellets from 2 to 9 mm.



The capacity of the feed container is 7 litres. The amount of feed is adjustable per feeding. An insert makes the feeder suitable for feeding small or large pellets.

Can be conveniently mounted with the mounting bracket (included) for wall and floor mounting. Complete with a tightly closing lid.

Supplied ready to use with 10-metre outdoor cable and 2-year warranty.

### SF KOI PRO FISH FEEDER.

S.R.P.

**£119,99**

Art. no.: 06090191



8 715897 300158



**User-friendly control unit**



**Replaceable control unit**




**Wall and floor mounting**




**Easily closable lid**


## The insert makes the feeder suitable for different sizes of feed pellets



**Without insert**  
Suitable for Large pellets  
**± 9 mm**



**With insert ring**  
Suitable for Medium pellets  
**± 6 mm**



**With insert ring and insert disc**  
Suitable for Small pellets  
**± 3 mm**



## DigiTest 4-in-1

Accurate digital 4-in-1 meter for measuring the conductivity (EC), total dissolved solids (TDS), acidity (pH) and temperature (°C/°F) of your pond water all in one measurement.

4-in-1 digital test pen for quick test results. Equipped with automatic shut-off.

Plug & Play, easy to calibrate. PH calibration powders included.

Supplied with batteries and 1-year warranty.

### KOI PRO DIGI TEST 4 IN 1.

S.R.P.

**£58,99**

Art. no.: 06070500



## Floating Fish cage

Floating fish cage equipped with fine mesh net for temporarily isolating Koi in your pond. Easy to assemble and handle.

Features zippered top closure and packed in handy case.

### KP FLOATING FISH CAGE 50X50X50 CM.

S.R.P.

**£66,99**

Art. no.: 09060055



### KP FLOATING FISH CAGE 70X70X70 CM.

S.R.P.

**£86,99**

Art. no.: 09060060



## Spawning Brushes

Breeding your own Koi? All you need is one female at least two males and a spacious pond. Let the deposit brushes float in the pond and nature will do the rest.

Deposit brush on which Koi can deposit their spawn. The Koi's reproductive season runs from April to June.

Set of 2 packaged in box that protects the brush from damage.

### KOI PRO SPAWNING BRUSH BOX 2 PCS.

S.R.P.

**£29,99**

Art. no.: 08060660



## Bowls, covers & measuring trays



### Koi Pro Koi Bowls

Handy bowls in various sizes for showing, handling, temporary keeping or transporting fish.

The round design prevents fish from bumping or damaging themselves.

#### KOI PRO BLUE KOI BOWL 50 CM.

S.R.P.

**£29,99**

Art. no.: 09060008



#### KOI PRO BLUE KOI BOWL 67 CM.

S.R.P.

**£40,99**

Art. no.: 09060011



#### KOI PRO BLUE KOI BOWL 80 CM.

S.R.P.

**£82,99**

Art. no.: 09060012



### Koi Pro Zipcover

Handy Zipcovers to place on the Koi bowls in various sizes.

You can buy a cover net from your Koi Pro dealer that will prevent the fish from jumping out of the bowl.

#### KOI PRO BOWL ZIP COVER 67 CM.

S.R.P.

**£11,49**

Art. no.: 09060030



#### KOI PRO BOWL ZIP COVER 80 CM.

S.R.P.

**£14,79**

Art. no.: 09060032



### Koi measuring tank

Inexpensive plastic measuring container for measuring the length of your fish.

Equipped with clearly readable measuring tape.

Also suitable for checking or photographing fish, for example.



#### PLASTIC KOI MEASURING TANK 80 CM.

S.R.P.

**£43,99**

Art. no.: 09060044



#### POLYESTER KOI MEASURING TANK 115CM.

S.R.P.

**£139,99**

Art. no.: 09060045





# Koi Pro Koi nets



INDEX

## Japan Halfround

Koi Net with a high-quality fixed wooden handle. The net is concealed in the aluminium net edge preventing it from wearing out and making it last for years!

Strong semi-circular Japan net, perfect for catching Koi and pond fish from 5 to 25 cm.

**JAPAN NET HALF ROUND 35CM HANDLE 60 CM.**

S.R.P.

**£49,99**

Art. no.: 09050220



8 715897 002403

Using a good net is important to avoid damage to fish and unnecessary stress.

## Japan net

Koi Net with a high-quality fixed wooden handle. The net is concealed in the aluminium net edge preventing it from wearing out and making it last for years!

Round pan net, used in Japan for selecting and transferring small Koi.

**JAPAN NET Ø 25 CM HANDLE 16 CM.**

S.R.P.

**£25,99**

Art. no.: 09050215



8 715897 002380

Strong round Japan net, perfect for catching Koi and pond fish from 5 to 25 cm.

**JAPAN NET Ø 35 CM HANDLE 60 CM.**

S.R.P.

**£49,99**

Art. no.: 09050217



8 715897 044694



# Alu Koi net.



## Alu Koi net

Koi Pro aluminium Koi Nets are light, strong, do not rust and are easy to handle.

These scoop nets are specially made for Koi. Minimising the chance of damaging the fins by floundering fish. The Koi will lie quietly in the net with use of a Koi sok the fish can be removed from the net.

The round nets have a two part handle complete with a case making it convenient to transport and store.

### KP ALLOY NET Ø 60 CM HANDLE 250 CM.

S.R.P.

**£129,99**

Art. no.: 09050540



8 715897 241291

### KP ALLOY NET Ø 80 CM HANDLE 300 CM.

S.R.P.

**£159,99**

Art. no.: 09050545



8 715897 241307



## Replacement nets

Original replacement net for Koi Pro Scherpnet.

### KP REPLACEMENT ROUND 60 CM.

S.R.P.

**£10,49**

Art. no.: 09050515



8 715897 229329

### KP REPLACEMENT ROUND 80 CM.

S.R.P.

**£12,99**

Art. no.: 09050525



8 715897 229343

### KP REPLACEMENT ROUND 70 CM.

S.R.P.

**£11,49**

Art. no.: 09050520



8 715897 229336

### KP REPLACEMENT ROUND 100 CM.

S.R.P.

**£16,99**

Art. no.: 09050530



8 715897 229350

# Koi handling nets.



## Japan Koi handling nets

Koi Sock with a strong wooden handle. These nets are designed to catch and move Koi causing minimal stress and damage.

This black Koi sock is completely water-permeable. Scoop the Koi from the pond and the water will drain away, making lifting a large Koi easy.

**JAPAN KOI HANDLING NET Ø 30CM\*130CM.**

S.R.P.

**£62,49**

Art. no.: 09050250



8 715897 002465

## Alu Koi handling nets

Koi Sock with a strong aluminium handle. These nets are designed to catch and move Koi causing minimal stress and damage.

This black Koi sock is completely water-permeable. The sock allows you to scoop water from the pond to quickly fill a Koi bowl.

**KP ALLOY KOI HANDLING NET Ø25 CM\*130 CM.**

S.R.P.

**£43,99**

Art. no.: 09050255



8 715897 032349

## Japan Koi handling nets

Koi Sock with a strong wooden handle. These nets are designed to catch and move Koi causing minimal stress and damage.

This blue Japanese Koi transport sock is partially waterproof, allowing you to move the Koi with water. The mesh at the end of the sock allows water to drain away easier. The sock allows you to scoop water from the pond to quickly fill a Koi bowl.

**JAPAN KOI TRANSPORT NET Ø 30CM\*120CM.**

S.R.P.

**£62,49**

Art. no.: 09050252



8 715897 028663

There are two versions, the blue Japanese Koi transport net is partially watertight, so you can move the Koi together with the water. The mesh at the end of the net makes it easy to drain the water.

With this handling net you can also quickly fill a Koi bowl with water from the pond. The black handling net is completely water-permeable, you just scoop the Koi out of the pond and the water will flow away, making it easier to lift a big Koi.