




Pond Catalogue 2024.



Professional technology.



Everything you need for Koi & fish ponds.

Koi Pro products are professional products designed to meet the needs of ponds and Koi enthusiasts. We deliver high-quality products and accessories for specialized Koi and pond keeping.

Index.

Go to:

Filters.

Page 2 >

Filter media.

Page 7 >

Pump connection materials.

Page 9 >

Algae control.

Page 13 >

FujiMAC airpumps.

Page 16 >

Aeration accessories.

Page 17 >

Pond accessories.

Page 20 >

All prices stated are recommended retail prices (incl. VAT). These prices may therefore differ from the retail prices in a shop or with an Internet supplier, you cannot derive any rights from them.

Despite all the care taken with the text, the publisher cannot accept liability for any damage that may arise from any errors that may appear in this catalogue. We are not responsible for any printing errors.

Koi Pro Drum Filters



Koi Pro Drum 30.000 UV

The Koi Pro Drum 30,000 is a low-maintenance pre-filter system that ensures healthy, clear water with low maintenance without the need for daily user maintenance. Available in 2 models for installation as Gravity or Pump-fed Drum Filter.



Compact design (84.5 x 48 x 51 cm) made of high-quality polypropylene. Equipped with 2 inlets 110mm and 2 outlets 110mm, maximum Water Flow in Pump setup 20M3/hour.

The built-in 40W high output UVC cleans the drum screen and keeps algae growth under control. The UVC is placed under the drum, making it highly effective and safely shielded.

Recommended for ponds up to 30M3 capacity, supplied complete with, 40W High Output UVC, Brass spray nozzles, Tip cleaning pump, 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

KOI PRO DRUM 30.000 UV POMP.

S.R.P.

€1.999,00

Art. no.: N6050090



KOI PRO DRUM 30.000 UV GRAVITY.

S.R.P.

€1.999,00

Art. no.: N6050095




Supplied with:




T.I.P. pump

Self-priming jet garden pump with stainless steel pump housing and on-off switch. Suitable for use under the harshest conditions.




Hi Flow Screen panel

120 µm INOX316L screen panel of the drum, to filter small dirt particles out of the water by mechanical filtration.



Built-in immersion UVC

Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view



Control Box

For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.

Model	Combi Drum 30000 Pump fed filter	Combi Drum 30000 Gravity filter
Maximum pond content	30.000 litres	30.000 litres
Max. pump capacity	17.500 L/h	17.500 L/h
UVC	Built-in 40 Watt High Output immersion UVC	Built-in 40 Watt High Output immersion UVC
Rinse pump	T.I.P. pump, 550 Watt, 4,2 Bar	T.I.P. pump, 550 Watt, 4,2 Bar
Filter size	84,5 x 48 x 51 cm	84,5 x 48 x 51 cm
Inlet	2x Ø 110 mm	2x Ø 110 mm
Outlet	2x Ø 110 mm	2x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm

Combi Drum 30.000

The Koi Pro Combi Drum 30,000 is a low-maintenance pre-filter and biological filter system in 1. This self-cleaning Combi Filter ensures healthy, clear water without the user having to perform daily maintenance. Available in 2 models for installation as Gravity or Pump-fed Drum Filter.



Compact design (117 x 87 x 74.5 cm) made of high-quality polypropylene, with all inlets, outlets and dirty water discharge on one side of the filter. Equipped with 2 inlets 110mm and 2 outlets 110mm, maximum Water Flow 17.5M3/hour. The biological filter chamber is equipped with a Hi-Oxy air stone with 8/12 mm air hose and quick connection for optional air pump (recommended 1200 L/h).

The built-in 40W high output UVC cleans the drum screen and keeps algae growth under control. The UVC is placed under the drum, making it highly effective and safely shielded. You fill the filter chamber yourself with filter media of your choice, Koi Pro recommends Aqwise Floating Bed media or Koi Pro Japanese mats.

Recommended for ponds up to 30M3 capacity, supplied complete with, 40W High Output UVC, Brass spray nozzles, built-in high-pressure flushing pump (750 Watt, 4 Bar), 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

KOI PRO COMBI DRUM 30.000 PUMP.

S.R.P.

€2.799,00

Art. no.: N6050100



KOI PRO COMBI DRUM 30.000 GRAVITY.

S.R.P.

€2.799,00

Art. no.: N6050105



Pump fed filter

Video Pump fed filter




Gravity filter

Video Gravity filter




Supplied with:




Control Box

For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.




Hi Flow Screen panel

Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.



Built-in immersion UVC

Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view



Self cleaning.

Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.

Model	Combi Drum 30000 Pump fed filter	Combi Drum 30000 Gravity filter
Maximum pond content	30.000 litres	30.000 litres
Max. pump capacity	17.500 L/h	17.500 L/h
UVC	Built-in 40 Watt High Output immersion UVC	Built-in 40 Watt High Output immersion UVC
Rinse pump	Built-in 750 Watt high pressure pump (4 Bar)	Built-in 750 Watt high pressure pump (4 Bar)
Filter size	117 x 87 x 74,5 cm	117 x 87 x 74,5 cm
Inlet	2x Ø 110 mm	2x Ø 110 mm
Outlet	2x Ø 110 mm	2x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm
Optional biological filter media	Aqwise floating bed media or Combi Drum Japanese matting cartridge	Aqwise floating bed media or Combi Drum Japanese matting cartridge



Combi Drum 60.000

The Koi Pro Combi Drum 60,000 is a low-maintenance pre-filter and biological filter system in 1. This self-cleaning Combi Filter ensures healthy, clear water without the user having to perform daily maintenance. Available in 2 models for installation. Gravity or Pump-fed Drum Filter. The 2 x integrated UVC lamps can be installed on the back or side for flexible set-up.



Compact design (128 x 90 x 101.5 cm) made of high-quality polypropylene, with all inlets, outlets and dirty water discharge on one side of the filter. Equipped with 4 inlets 110mm and 3 outlets 110mm, maximum Water Flow 30M3/hour. The biological filter chamber is equipped with a Hi-Oxy air stone with 8/12 mm air hose and quick connection for optional air pump (recommended 3600 L/h).

The two built-in 40W high-output UVCs clean the drum screen and keep algae growth under control. The UVCs are positioned under the drum and are therefore shielded very effectively and safely. You fill the filter chamber yourself with filter media of your choice, Koi Pro recommends Aqwise Floating Bed media or Koi Pro Japanese mats.

Recommended for ponds up to 60M3 capacity, supplied complete with, 2 x 40W High Output UVC, Brass spray nozzles, built-in high-pressure flushing pump (750 Watts, 4 Bar), 120 µm high-flow sieve panel, powerful electric motor, protected with automatic slip clutch and a lid that completely seals the filter.

KOI PRO COMBI DRUM 60.000 PUMP.

S.R.P.

€3.999,00

Art. no.: N6050115



8 715897 339080

KOI PRO COMBI DRUM 60.000 GRAVITY.

S.R.P.

€3.999,00


Art. no.: N6050120




8 715897 339097




Supplied with:




Control Box
For connecting all electrical equipment and controlling the filter pump, UVC, electromotor and high pressure rinsing pump.



Hi Flow Screen panel
120 µm INOX316L screen panel of the drum, to filter small dirt particles out of the water by mechanical filtration.



2x Built-in immersion UVC
Ensures crystal clear water, keeps algae growth under control. The UVC is placed under the drum and is therefore safely shielded from view




Self cleaning.
Automatic cleaning of the screen panel with a built-in high pressure rinse pump connected to the drumfilter spraybar.

Model	Combi Drum 60000 Pump fed filter	Combi Drum 60000 Gravity filter
Maximum pond content	60.000 litres	60.000 litres
Max. pump capacity	30.000 L/h	30.000 L/h
UVC	2x Built-in 40 Watt High Output immersion UVC	2x Built-in 40 Watt High Output immersion UVC
Rinse pump	Built-in 750 Watt high pressure pump (4 Bar)	Built-in 750 Watt high pressure pump (4 Bar)
Filter size	128 x 90 x 101,5 cm	128 x 90 x 101,5 cm
Inlet	4 x Ø 110 mm	4 x Ø 110 mm
Outlet	3 x Ø 110 mm	3 x Ø 110 mm
Drain	Ø 110 mm	Ø 110 mm
Optional biological filter media	Aqwise floating bed media or Combi Drum Japanese matting cartridge	Aqwise floating bed media or Combi Drum Japanese matting cartridge

Recommended filter media for the biological filter chamber:

Combi Drum with AqWise media



AqWise Filter media

AqWise moving filter media is our recommendation as the best filling of the biological filter chamber of the Combi Drum filters, Aqwise in combination with a strong air pump guarantees 30% better filter performance.

Recommended amount of Aqwise for filling the biological filter chamber, Combi Drum 30000: 50 litres, Combi Drum 60000: 100 litres.


KP COMBI DRUM AQWISE MEDIA 50L.

S.R.P.
€94,99

Art. no.: N6050133



Combi Drum with Koi Pro matting



Koi Pro matting

Koi Pro mat cassette with a huge bacteria adhesion surface, the best biological medium for Koi filters.



Handy custom-made cassette for the Koi Pro Combi Drum 30,000.

KP COMBI DRUM JAPANMAT CARTRIDGE.

S.R.P.
€329,99

Art. no.: N6050130



Hi Flow Screen panel

High-flow sieve panel 120 µm for the Koi Pro Drum Filter 30,000 and the Koi Pro Combi Drum 30,000.



Curved packed in protective box for convenient installation!

KP COMBI DRUM SCREEN HI FLOW.

S.R.P.
€131,99

Art. no.: N6050110



Hi Flow XL Screen panel

Double High-flow sieve panel 120 µm for the Koi Pro Combi Drum 60,000.

Curved packed in protective box for convenient installation!

KP COMBI DRUM SCREEN HI FLOW XL 2PCS.

S.R.P.
€219,99

Art. no.: N6050200



Replacement lamps

High Output UV 40W replacement lamp for the Koi Pro Drum Filter 30,000 and the Koi Pro Combi Drum 30,000 and 60,000.

High Output T5 UV lamp, guaranteed 8000 burning hours.

Replace the UVC lamp annually, preferably in spring for optimal operation. Just because a bulb is burning does not mean it still has useful radiation, as the UV radiation decreases and is no longer effective after 8000 hours of operation.

KP COMBI DRUM UV LAMP 40W HO.

S.R.P.
€64,99

Art. no.: N6050125



Optional:

Protective cap


Handy plastic protective cover for the Koi Pro Drum and Combi Drum Filters, protects the control box and flush pump condenser box from splashing water and rain.

With this protective cover, you do not need to mount the electric controller inside but can attach it safely and securely to the Koi Pro filter.

KP COMBI DRUM PROTECTION COVER.

S.R.P.
€99,99

Art. no.: N6050127



Reinforced air hose

Reinforced air hose for connecting larger air stones and air pumps.

The reinforcement makes the hose extremely strong and does not kink!

Supplied on a handy 10-metre roll.

AIR TUBE REINFORCED 8/12 MM 10 MTR.

S.R.P.
€27,49

Art. no.: 08060110



Move Filters

Move Filters


SuperFish Poly Tech Move Hybrid filters are designed for Koi and fish ponds and large water features. Made of durable polyester a Poly Tech Move filter offers the reliable technology and stability of a multi-chamber filter and the efficiency of a floating bed filter. This combination ensures extremely good biological filtration.

Optimum filtration through efficient dirt separation with the filter brushes in the first filter chamber, the stable biofilm, biological balance and flow of the Japanese mats, and the optimal aeration and biological activity in the moving bed chamber.

Easy maintenance, just spray the brushes regularly with the garden hose, release the dirt with the slide valve at the bottom of the chamber, and the moving bed chamber cleans itself.



Operation of the filters:



Maximum pond volume 20M3, recommended pump capacity 5000L/h, supplied complete with filter brush, Aqwise floating bed media, filter cover, suitable for pump set-up.

Maximum pond volume 30M3, recommended pump capacity 7500L/h, supplied complete with filter brush, Japanese Mat cassette, Aqwise floating bed media, filter cover, suitable for pump set-up.

Maximum pond volume 60M3, recommended pump capacity 10,000L/h, supplied complete with filter brush, Japanese Mat cassette, Aqwise floating bed media, filter cover, connections 110-50 mm, suitable for gravity and pump set-up.

Maximum pond volume 100M3, recommended pump capacity 12,000L/h, supplied complete with filter brush, Japanese Mat cassette, Aqwise floating bed media, filter cover, connections 110-50 mm, suitable for gravity and pump set-up.

POLY TECH MOVE FILTER 20.

S.R.P. **€779,00**

Art. no.: 06040500



POLY TECH MOVE FILTER 30.

S.R.P. **€1.199,00**

Art. no.: 06040505



POLY TECH MOVE FILTER 60.

S.R.P. **€1.999,00**

Art. no.: 06040510



POLY TECH MOVE FILTER 100.

S.R.P. **€2.989,00**

Art. no.: 06040515




Supplied with:



Japanese mats Cassette

Move 30, 60 and 100 are supplied with Japanese mats Cassette



AqWise Filter media Supplied quantity

Move 20: 20 Litres Move 60: 50 Litres
Move 30: 20 Litres Move 100: 50 Litres

MOVE 30 JAPAN MAT CARDRIDGE.

S.R.P. **€79,99**

Art. no.: 06040540



MOVE 60 JAPAN MAT CARDRIDGE.

S.R.P. **€139,99**

Art. no.: 06040545



MOVE 100 JAPAN MAT CARDRIDGE

S.R.P. **€237,49**

Art. no.: 06040550



MOVE 200 JAPAN MAT CARDRIDGE

S.R.P. **€337,49**

Art. no.: 06040555



Model	Move 20	Move 30	Move 60	Move 100
Max. pond content	20.000 L*	30.000 L*	60.000 L*	100.000 L*
Pump capacity	5.000 L/h	7.500 L/h	10.000 L/h	12.000 L/h
Pump fed / Gravity	yes / no	yes / no	yes / yes **	yes / yes **
Chambers	2	3	3	3
Inlet	25/32/40 mm	25/32/40 mm	50/110 mm	50/110 mm
Outlet	75 mm	75 mm	110/50 mm	110/50 mm
Size	80x65x65 cm	12x65x65 cm	150x80x75 cm	185x95x90 cm
Art. no.	06040500	06040505	06040510	06040515

* The maximum pond content of a plant pond is indicated, for a Koi pond half of the indicated content applies. ** The Move 60, 100 and 200 can also be used as a gravity filter with the coupling piece supplied.

Koi Filtermedia.

Koi Pro Bacteria House

Koi Pro Bacteria House media is highly porous. The water absorption ratio is 80%! Bacteria house contains "far Infrared" super minerals which promote Koi health.



KOI PRO BACTERIA HOUSE 24PCS.

S.R.P.

€29,99

Art. no.: 08020300




8 715897 339011

Koi Pro Bacteria House

Thickness: 35x35 mm

Length: 160mm

Packed per 24 pieces



Large organic waste is broken down much faster than with conventional media and without clogging! The microscopic pores ensure rapid growth of bacteria that break down harmful substances such as nitrite and ammonia.

Due to its porous structure Koi Pro Bacteria House also works as a mechanical filter medium. Very suitable for "bakki shower" trickle filters, but also suitable for other pond filters.



AqWise filter media

AqWise filter media improves the performance of a moving bed filter by as much as 30% compared to other moving bed media. AqWise Filter Media is scientifically developed by the eponymous AqWise, a leading water purification company.



AqWise filter media improves the performance of a moving bed filter by as much as 30% compared to other moving bed media. AqWise Filter Media is scientifically developed by the eponymous AqWise, a leading water purification company.

AqWise has 8 small spokes that effectively increase the bacterial adhesive surface by 30%. On the outside are openings that run across the surface like a spiral, creating a vortex. This ensures optimal water exchange and oxygen and nutrient supply. Clogging of the media is virtually impossible due to the high self-cleaning capacity of the rings.

AQWISE FLOATING BED MEDIA 20 LITRE.

S.R.P.

€42,99

Art. no.: 08040190



8 715897 219771



AQWISE FLOATING BED MEDIA 50 LITRE.

S.R.P.

€94,99

Art. no.: 08040195



8 715897 319174

AqWise is durable and made of quality material

AqWise is made in Germany from durable HDPE and is designed in such a way that the bacteria carriers move up and down in the water flow of the moving bed just as easily. The mixing of the water and the filter media is therefore optimal. In the turbulence, the media keeps itself clean so that the carriers do not become too heavy or dirty.

Required filter capacity and amount of fish

Extensive research has shown that 100 liters of AqWise filter media can break down an average of 650 grams of food per day. Koi receive an average of 2% of their body weight in food per day, or 100 liters of AqWise is sufficient for 32.5 kilos of Koi. When purchasing the floating bed filter and filter media, take into account the growth of the fish, which will eat more food in the future.

Koi Pro Filter matting

Koi Pro Filter Mats are made from natural, environmentally friendly raw materials and are suitable for all types of pond filters. Due to the open structure, the mats do not clog and have a large bacteria adhesion surface.




Good water permeability



Easy to Clean



Environment friendly



Woven and contains no glue or other harmful chemicals, good fouling of bacteria, fast start-up of filters.

Shapely and very easy to cut to size with a hotknife. Easy to clean and dimensionally stable.

Size 120x100x3.8CM.



Purifies the water





Balances the water



Good bacterial balance

Made by random winding and pressing of polymer plastic wires



Easy to cut to size with hot knife or strong scissors.

KOI PRO FILTER MAT 120X100X3,8CM BLUE.

S.R.P.

€59,99

Art. no.: 08020520



Koi Pro filtermat

120 x 100 x 3,8 cm

Blauw

Art. 08020520

Japanese matting

Japanese filter mats are suitable for all types of pond filters. Due to the open structure. The mats do not clog and have a large bacteria adhesion surface.

Good growth of bacteria, fast start-up of filters.

Cut to size with a circular saw or hotknife.

JAPANESE MAT 120 X100 X3,8 CM BLUE.

S.R.P.

€59,99

Art. no.: 08020510




JAPANESE MAT 200 X100 X3,8 CM BLUE.

S.R.P.

€114,99

Art. no.: 08020502



- Faster growth of bacteria.
- Faster startup of filters.
- Better adhesion for biofilm.




Filter brush

Koi Pro filter brushes are produced in the EU to the highest quality standards. They will be recognise them by the suspension eye and the green/black colour.

Equipped with strong plastic suspension eye the most effective pre-filter material for pond filters.

The Koi Pro filter brushes last a long time and are easy to clean.



KOI PRO FILTER BRUSH 10 X 30 CM.

S.R.P.

€4,79

Art. no.: 08020600



KOI PRO FILTER BRUSH 10 X 60 CM.

S.R.P.

€7,49

Art. no.: 08020615



KOI PRO FILTER BRUSH 15 X 50 CM.

S.R.P.

€7,99

Art. no.: 08020630



KOI PRO FILTER BRUSH 15 X 80 CM.

S.R.P.

€11,59

Art. no.: 08020645



KOI PRO FILTER BRUSH 10 X 40 CM.

S.R.P.

€5,99

Art. no.: 08020605



KOI PRO FILTER BRUSH 15 X 30 CM.

S.R.P.

€6,09

Art. no.: 08020620



KOI PRO FILTER BRUSH 15 X 60 CM.

S.R.P.

€8,59

Art. no.: 08020635



KOI PRO FILTER BRUSH 20 X 25 CM.

S.R.P.

€6,09

Art. no.: 08020650



KOI PRO FILTER BRUSH 10 X 50 CM.

S.R.P.

€6,59

Art. no.: 08020610



KOI PRO FILTER BRUSH 15 X 40 CM.

S.R.P.

€7,49

Art. no.: 08020625



KOI PRO FILTER BRUSH 15 X 70 CM.

S.R.P.

€10,49

Art. no.: 08020640



KOI PRO FILTER BRUSH 20 X 40 CM.

S.R.P.

€8,59

Art. no.: 08020655



Flexible couplings



Koi Pro Flex couplings offer many advantages when connecting different sizes and types of PVC pipes. Flex couplings are also ideal for connecting PVC to poorly adhesive materials such as stainless steel, PE, PP, polyester and concrete, rainwater drainage, sewer and sanitary discharge.

Unique features include quick assembly, glue not required, easy connection of pipes of different materials, easy disassembly for maintenance and good resistance to low temperatures.

Advantages; flexible, even if the pipe dimensions deviate slightly from the standard. Installation also possible during frost, suitable for emergency repairs, fast repair of breakages and leaks. The Flex couplings dampen vibrations of pumps and other installations and prevent stress fractures in pipe systems.



Flex Elbow

FLEX ELBOW 40.
S.R.P.
€8,79
Art. no.: 08086050


FLEX ELBOW 50 MM.
S.R.P.
€8,79
Art. no.: 08086055



FLEX ELBOW 63 MM.
S.R.P.
€10,49
Art. no.: 08086060


FLEX ELBOW 75 MM.
S.R.P.
€15,99
Art. no.: 08086063


FLEX ELBOW 90 MM.
S.R.P.
€15,49
Art. no.: 08086065


FLEX ELBOW 110 MM.
S.R.P.
€20,99
Art. no.: 08086070


FLEX TEE 40 MM. **Flex Tee**
S.R.P.
€10,49
Art. no.: 08086075


FLEX TEE 50 MM.
S.R.P.
€10,49
Art. no.: 08086080



FLEX TEE 63 MM.
S.R.P.
€11,99
Art. no.: 08086085



FLEX TEE 90 MM.
S.R.P.
€20,99
Art. no.: 08086090



FLEX TEE 110 MM.
S.R.P.
€29,99
Art. no.: 08086095


Flex Reducers


FLEX REDUCER 50/40 MM.
S.R.P.
€4,49
Art. no.: 08086100


FLEX REDUCER 63/50 MM.
S.R.P.
€4,99
Art. no.: 08086105



FLEX REDUCER 90/63 MM.
S.R.P.
€8,29
Art. no.: 08086110


FLEX REDUCER 90/50 MM.
S.R.P.
€7,79
Art. no.: 08086115


FLEX REDUCER 110/50 MM.
S.R.P.
€10,99
Art. no.: 08086120


FLEX REDUCER 110/63 MM.
S.R.P.
€9,99
Art. no.: 08086125


FLEX REDUCER 110/75 MM.
S.R.P.
€14,99
Art. no.: 08086127


FLEX REDUCER 110/90 MM.
S.R.P.
€9,99
Art. no.: 08086130


FLEX REDUCER 125/110 MM.
S.R.P.
€15,99
Art. no.: 08086131


FLEX REDUCER 135/110 MM.
S.R.P.
€13,99
Art. no.: 08086133


Flex Connectors

FLEX CONNECTOR 40 MM.
S.R.P.
€4,49
Art. no.: 08086135


FLEX CONNECTOR 50 MM.
S.R.P.
€4,99
Art. no.: 08086140



FLEX CONNECTOR 63 MM.
S.R.P.
€5,49
Art. no.: 08086145


FLEX CONNECTOR 75 MM.
S.R.P.
€9,99
Art. no.: 08086147


FLEX CONNECTOR 90 MM.
S.R.P.
€7,49
Art. no.: 08086150



FLEX CONNECTOR 110 MM.
S.R.P.
€8,99
Art. no.: 08086155


Flex Endcaps

FLEX ENDCAP 40 MM.
S.R.P.
€2,79
Art. no.: 08086160


FLEX ENDCAP 50 MM.
S.R.P.
€2,79
Art. no.: 08086165


FLEX ENDCAP 63 MM.
S.R.P.
€3,49
Art. no.: 08086170


FLEX ENDCAP 90 MM.
S.R.P.
€4,49
Art. no.: 08086175


FLEX ENDCAP 110 MM.
S.R.P.
€5,49
Art. no.: 08086180




All couplings are provided with an information label

Flex Connector 40 mm

- For pond, drain, wastewater only
- Not suitable for potable water
- To install, tighten clamps with 6.5 Nm torque
- Test couplings for possible leakage
- Max. water temp. 38°C



Produced in China for:
www.aquadistri.com
Vilvoorde 8, 3191 EE Alseff, NL

Pump connection materials.

Budget slide valve

Inexpensive sliding valve for regulating and/or shutting off pond water.

Budget-friendly sliding valve suitable for many applications.

BUDGET SLIDE VALVE 40 MM.

S.R.P.

€10,99

Art. no.: 08082199



8 714404 014113

BUDGET SLIDE VALVE 110 MM.

S.R.P.

€77,49

Art. no.: 08082205



8 714404 012911

BUDGET SLIDE VALVE 50 MM.

S.R.P.

€12,99

Art. no.: 08082200



8 714404 012843

BUDGET SLIDE VALVE 160 MM.

S.R.P.

€177,49

Art. no.: 08082210



8 714404 028431

BUDGET SLIDE VALVE 90 MM.

S.R.P.

€59,99

Art. no.: 08082202



8 714404 013482



VDL Professional slide valve

Professional sliding valve for regulating and/or shutting off water. Due to its special construction the dirt is perfectly drained and the sliding valve does not get stuck.

Professional quality with replaceable seal.

VDL SLIDE VALVE 50 MM.

S.R.P.

€37,49

Art. no.: 08082100



8 717284 026429

VDL SLIDE VALVE 90 MM.

S.R.P.

€138,49

Art. no.: 08082115



8 717284 026481

VDL SLIDE VALVE 63 MM.

S.R.P.

€62,99

Art. no.: 08082105



8 717284 026443

VDL SLIDE VALVE 110 MM.

S.R.P.

€163,49

Art. no.: 08082120



8 717284 036404

VDL SLIDE VALVE 75 MM.

S.R.P.

€94,99

Art. no.: 08082110



8 717284 026467

VDL SLIDE VALVE 160 MM.


S.R.P.

€399,99

Art. no.: 08082122



8 717284 047271



VDL Ball valve

Ball valve for regulating and/or shutting off pond water.

Professional quality for lasting results and security.

VDL BALL VALVE 50 MM.

S.R.P.

€35,99

Art. no.: 08082130



8 717284 018516

VDL BALL VALVE 90 MM.

S.R.P.

€173,49

Art. no.: 08082145



8 717284 033823

VDL BALL VALVE 63 MM.

S.R.P.

€52,99

Art. no.: 08082135



8 717284 018554

VDL BALL VALVE 110 MM.

S.R.P.

€249,99

Art. no.: 08082150



8 717284 024814

VDL BALL VALVE 75 MM.

S.R.P.

€127,49

Art. no.: 08082140



8 717284 033809



Professional pond connector

Professional Tank/Foil grommet to connect a pipe through a wall.

On both sides is a glue connection to glue in a PVC pipe.

Professional quality for long-lasting results.

TANK/FOIL CONNECTOR PROF 40 MM.
S.R.P.
€15,99
Art. no.: 08081000
8 715897 004919

TANK/FOIL CONNECTOR PROF 75 MM.
S.R.P.
€30,49
Art. no.: 08081015
8 715897 004940

TANK/FOIL CONNECTOR PROF 50 MM.
S.R.P.
€17,99
Art. no.: 08081005
8 715897 004926

TANK/FOIL CONNECTOR PROF 90 MM.
S.R.P.
€35,49
Art. no.: 08081020
8 715897 004957

TANK/FOIL CONNECTOR PROF 63 MM.
S.R.P.
€22,49
Art. no.: 08081010
8 715897 004933

TANK/FOIL CONNECTOR PROF110 MM.
S.R.P.
€27,49
Art. no.: 08081025
8 715897 004964



Budget Tank/foil Connector

Economical Tank/Foil grommet to connect a pipe through a wall.

On both sides is a glue connection to glue in a PVC pipe.

Budget-friendly Tank/Foil Transit.

TANK/FOIL CONNECTOR BUDGET 40 MM.
S.R.P.
€7,49
Art. no.: 08085005
8 714404 012034

TANK/FOIL CONNECTOR BUDGET 75 MM.
S.R.P.
€9,29
Art. no.: 08085017
8 714404 013680

TANK/FOIL CONNECTOR BUDGET 50 MM.
S.R.P.
€8,29
Art. no.: 08085010
8 714404 012102

TANK/FOIL CONNECTOR BUDGET 90 MM.
S.R.P.
€10,49
Art. no.: 08085020
8 714404 012249

TANK/FOIL CONNECTOR BUDGET 63 MM.
S.R.P.
€8,79
Art. no.: 08085015
8 714404 012171

TANK/FOIL CONNECTOR BUDGET 110 MM.
S.R.P.
€11,69
Art. no.: 08085025
8 714404 012317

TANK/FOIL CONNECTOR ROUND 110 MM.
S.R.P.
€17,49
Art. no.: 08085027
8 714404 013666



Budget tank connector

Easy (de)mounting by means of the screw connection. Suitable for e.g. polyester containers or barrels.

BUDGET TANK CONNECTOR W SCREW END 40 MM.
S.R.P.
€7,49
Art. no.: 08085035
8 714404 028165

BUDGET TANK CONNECTOR W SCREW END 75 MM.
S.R.P.
€9,49
Art. no.: 08085050
8 714404 028370

BUDGET TANK CONNECTOR W SCREW END 50 MM.
S.R.P.
€8,19
Art. no.: 08085040
8 714404 028233

BUDGET TANK CONNECTOR W SCREW END 90 MM.
S.R.P.
€10,79
Art. no.: 08085055
8 714404 028448

BUDGET TANK CONNECTOR W SCREW END 63 MM.
S.R.P.
€8,79
Art. no.: 08085045
8 714404 028301

BUDGET TANK CONNECTOR W SCREW END 110 MM.
S.R.P.
€14,49
Art. no.: 08085060
8 714404 028516



KoiPro Skimmer Ø110 mm

KoiPro Skimmer Ø110 mm. Collects the dirt floating on the pond water ensuring a clean pond surface.



Prevents accumulation in pipes by floating debris and prevents blockage of pipe entrance by large pieces of debris.

Easy to clean thanks to the removable collection grid.

KOI PRO SKIMMER 110MM.

S.R.P.
€47,49

Art. no.: 08083070



8 715897 339042

Bottom drain

Bottom drain for mounting in the bottom or wall of the pond. The best solution for supplying water and pond dirt to the pond filter.

Equipped with protective cap to prevent your fish from entering the discharge pipe.

Suitable for Ø110 mm PVC pipe.

BOTTOM DRAIN 110 MM DOMED.

S.R.P.
€45,99

Art. no.: 08083005



8 714404 009515

Suitable for Ø63 mm PVC pipe.

BOTTOM DRAIN 63 MM.

S.R.P.
€37,77

Art. no.: 08084015



8 715897 005114

Suitable for Ø40 mm PVC pipe.

BOTTOM DRAIN 40 MM.

S.R.P.
€31,49

Art. no.: 08084005



8 715897 005091

Suitable for Ø75 mm PVC pipe.

BOTTOM DRAIN 75 MM.

S.R.P.
€48,49

Art. no.: 08084020



8 715897 005121

Suitable for Ø50 mm PVC pipe.

BOTTOM DRAIN 50 MM.

S.R.P.
€33,99

Art. no.: 08084010



8 715897 005107

Suitable for Ø90 mm PVC pipe.

BOTTOM DRAIN 90 MM.

S.R.P.
€53,49

Art. no.: 08084025



8 715897 005138



Venturi Inline

This venturi mounts in the PVC pipe behind the pump and sucks in air enriching the pond water with oxygen.

Suitable for Ø50 mm PVC pipe.

VENTURE INLINE 50MM.

S.R.P.
€78,99

Art. no.: 08081050



8 715897 039492



UVC.



Koi Pro UVC

Professional UVC Clarifier. The Koi Pro UVC ensures a clear pond with healthy fish. The UV lamp produces ultraviolet light with a wavelength of exactly 254 nm. The UV-C radiation kills almost all harmful bacteria, viruses and fungi and keeps algae growth under control.

Highly efficient operation due to the indestructible electro-polished stainless steel housing, this ensures reflection of the UV radiation, and due to the long UVC housing which allows longer contact time with the UV radiation.

Convenient mounting through the Triple and Double Head Connection on both with PVC glue connection 50/63 mm or on pond hose with the Multi-step hose connection 40/32/25 mm.

Supplied with 40-watt High Output T5 UV lamp and electronic ballast for optimum light output and longer lamp life. 2-year warranty, manufactured in the Netherlands.

SF KOI PRO RVS UVC T5 40 W/40.000 LTR.

S.R.P.

€229,99

Art. no.: 06010240



8 715897 244377

SF KOI PRO RVS UVC T5 75 W / 75.000 LTR.

S.R.P.

€249,99

Art. no.: 06010245



8 715897 244384

Double inlet connection

With Multi-Step tulle:

- ø25 / 32/40 mm hose
- + ø50 mm PVC
- ø63 mm PVC grommet

Triple outlet connection

With Multi-Step tulle:

- ø25 / 32/40 mm hose
- + ø50 mm PVC
- ø63 mm PVC grommet

Ballast

Electronic ballast for optimum light output and longer lamp life.



Replacement lamps

High Output T5 UV lamp, the length of the lamp ensures a long contact time with the UV radiation for optimal operation.

Top quality produced in Europe.

KOI PRO UV REPL LAMP T5 40W.

S.R.P.

€49,99

Art. no.: 06010225



8 715897 043130

KOI PRO UV REPL LAMP T5 75W.


S.R.P.

€59,99

Art. no.: 06010230



8 715897 043147



See page 94 for UV-C lamp information

Model	SF KoiPro UVC 40.000 T5 40 W	SF KoiPro UVC 75.000 T5 75 W
Max. Pump cap.	20.000 L/h	20.000 L/h
Max. Pond content	40.000 L	75.000 L
In- en outlet	25/32/40-50/63 mm	25/32/40-50/63 mm
Lamp	High Power T5	High Power T5
Power	40 Watt	75 Watt
Reflection	Stainless steal	Stainless steal
Dimentions L x W	94 x 44 cm (excl. tulle)	94 x 44 cm (excl. tulle)
Art. no.	06010240	06010245



Koi Pro Module UVC

The Koi Pro Module is a high-output submersible UVC that is easy to build into a pond filter. The UV-C radiation kills almost all harmful bacteria, viruses and fungi and keeps algae growth under control. The compact design of the UVC has a grommet with micro-switch for safe use.

The special UV lamp is made of quartz glass instead of ordinary glass, for optimal UV permeability. The effective life of this compact UV lamp is twice as long as a normal UV lamp. This UV lamp produces ultraviolet light with a wavelength of exactly 254 nm, the disinfecting effect is best at this wavelength.

Convenient installation due to short built-in depth of 35 cm, does not reduce water flow. Supplied with adapter and grommet for easy installation.

Supplied with Quartz glass 40 Watt high output UV lamp, with high UV-C radiation and lifespan of no less than 16,000 hours and an electronic ballast for optimum light output, 2-year warranty manufactured in the Netherlands.

SF KOI PRO MODULE 40W HIGH OUTPUT.

S.R.P.

€199,99

Art. no.: 06010460



8 715897 028595

Replacement lamps

High Output T5 UV lamp, the length of the lamp ensures a long contact time with the UV radiation for optimal operation.

Top quality produced in Europe.

SF KOI PRO MODULE 40W LAMP HIGH OUTPUT.


S.R.P.

€54,99


Art. no.: 06010465



8 715897 032974



Model	Koi Pro Module UVC 40 Watt High Output
Max content koipond	20.000 L
Max pressure	3 bar
Installation depth	35 cm, ø 50 mm
Power	40 Watt
Dimensions L x W	42 cm x 15 cm
Art. no.	06010460



Pump & UVC Clean

Regular cleaning of your pond pump and UVC is necessary for efficient operation, longer service life and warranty retention. Scale deposits ensure that dirt and algae adhere more easily to your pump, causing wear. With your UVC, scale deposits on the quartz glass reduce the permeability of the UV light.

SuperFish Pump & UVC Clean is naturally acid that dissolves the scale and cleans your pump and quartz glass.

Koi Pro UV-Lamp Guide.

Find the right lamp for your Koi Pro device



Model	Lamp	Fitting		Art. Lamp	Quarts
KoiPro UVC 40000	KoiPro UV TL-T5 40 Watt	KOIPRO TL-T5		06010225	06010310
KoiPro UVC 75000	KoiPro UV TL-T5 75 Watt	KOIPRO TL-T5		06010230	06010310




Model	Lamp	Fitting		Art. Lamp	Quarts
Koi Pro Module UVC 40 W	KoiPro Module UV 40 Watt High Output	KOI PRO Base X		06010465	06010474

INDEX

Spare parts page 130



Model	Lamp	Fitting		Art. Lamp	Quarts
Koi Pro Module UVC 40 W	Amalgam UV-lamp 40 Watt	Module UVC T5		06010445	06010451
Koi Pro Module UVC 80 W	Amalgam UV-lamp 80 Watt	Module UVC T5		06010450	06010452



Model	Lamp	Fitting		Art. Lamp	Quarts
Koi Pro Drum 30000 UVC	KoiPro Combi Drum UV lamp 40 Watt HO	Module UVC T5		N6050125	N6050135



Model	Lamp	Fitting		Art. Lamp	Quarts
Koi Pro Combi Drum UVC 30000	KoiPro Combi Drum UV lamp 40 Watt HO	Module UVC T5		N6050125	N6050135
Koi Pro Combi Drum UVC 60000	KoiPro Combi Drum UV lamp 40 Watt HO	Module UVC T5		N6050125	N6050135

FujiMAC Air pumps

Highly durable and efficient pond air pumps developed and manufactured in Japan. These compact air pumps are energy-efficient, quiet and produce little internal heat which prolongs the durability of the synthetic rubber (EPDM) membranes.



Very quiet operation, the noise level is between 32 dB for the smallest model and 41 dB for the largest.

Energy-efficient, optimum air output at minimum consumption, also these pumps produce little internal heat, this extends the durability of the synthetic rubber (EPDM) membranes out.

Top quality from Japan with 3-year warranty!



New!



FUJIMAC 40 KII.

S.R.P.

€249,00

Art. no.: N7010500



FUJIMAC 60 KII.

S.R.P.

€279,00

Art. no.: N7010550



FUJIMAC 80 KII.

S.R.P.

€329,00

Art. no.: N7010553



New!

FUJIMAC 100 KII.

S.R.P.

€439,00

Art. no.: N7010555



FUJIMAC 150 KII.

S.R.P.

€679,00

Art. no.: N7010560



FUJIMAC 200 KII.

S.R.P.

€719,00

Art. no.: N7010565



FUJIMAC 250 KII.

S.R.P.

€879,00

Art. no.: N7010570



FUJIMAC 300 KII.

S.R.P.

€999,00

Art. no.: N7010575



Optional:



Reducer

Reduction piece from 26 to 18 mm for connecting the FujiMAC 150/200/250/300.

FUJIMAC REDUCER 26-18MM.

S.R.P.

€14,99

Art. no.: N7010625



8-12 mm

18 mm

Stainless steel valve

Tap and reducer. The inlet of tap is connected to the 18 mm rubber outlet of the FujiMAC or Koi Pro Air Blow. The outlet connects to armed air hose 8/12 mm. The air flow can be controlled with the tap.

FUJIMAC VALVE & REDUCER 18 TO 8-12MM.

S.R.P.

€13,99

Art. no.: N7010630



Model	FujiMAC 40 KII	FujiMAC 60 KII	FujiMAC 80 KII	FujiMAC 100 KII	FujiMAC 150 KII	FujiMAC 200 KII	FujiMAC 250 KII	FujiMAC 300 KII
Max. Pump cap.	2400 L/h	3600 L/h	4800 l/h	6000 L/h	9000 L/h	12000 L/h	15000 L/h	18000 L/h
Pressure*	0,012 MPA	0,015 MPA	0.015 MPa	0,018 MPA	0,020 MPA	0,020 MPA	0,020 MPA	0,020 MPA
Power	27 Watt	35 Watt	47 Watt	68 Watt	100 Watt	140 Watt	186 Watt	250 Watt
Db	32	35	36	36	41	43	48	50
Size cm	18x16x19	18x16x19	18x16x19	18x16x19	30x18x19,8	30x18x19,8	30x18x19,8	30x18x19,8
Outlet mm	18	18	18 mm	18	26	26	26	26
Weight	5,3 KG	5,3 KG	5,4 kg	5,4 KG	9,9 KG	9,9 KG	9,9 KG	10,2 KG
Manifold	08010090/ 95/100	08010090/ 95/100	08010090/ 95/100	08010090/ 95/100	N7010625 + N7010630	N7010625 + N7010630	N7010625 + N7010630	N7010625 + N7010630
Art. no.	N7010500	N7010550	N7010553	N7010555	N7010560	N7010565	N7010570	N7010575
Measured at depth:	1,2 metre	1,5 metre	1,5 metre	1,8 metre	2 metre	2 metre	2 metre	2 metre

Aeration accessories.

AirBlow

The Koi Pro Airblow is a professional pond air pump, specially designed for high air output and long life.



High air pressure, suitable for deeper ponds up to 3 metres water depth.

Perfect for Koi, large ponds, breeding, sales and quarantine systems with many outflow points.

Model	Air-Blow 50	Air-Blow 100
Max. Pump cap.	3.000 L/h	6.000 L/h
Pressure	0,045 MPA	0,040 MPA
Power	30 Watt	88 Watt
Dimensions	23 x 17,2 x 19 cm	26,4 x 18,7 x 21,5 cm
Art. no.	07020300	07020305



Airflow 3000 L/h. Consumption 30W, reliable quality. Top in its segment for over 15 years complete with a 2-year full warranty.

Airflow 6000 L/h. Consumption 88W, reliable quality. Top in its segment for over 15 years complete with 2-year full warranty.

SF AIR BLOW 50.

S.R.P.

€179,99

Art. no.: 07020300



8 715897 204081

SF AIR BLOW 100.

S.R.P.

€214,99

Art. no.: 07020305



8 715897 204098



Optional:

Stainless steel valve

Tap and reducer. The inlet of tap is connected to the 18 mm rubber outlet of the FujiMAC or Koi Pro Air Blow. The outlet connects to armed air hose 8/12 mm. The air flow can be controlled with the tap.

FUJIMAC VALVE & REDUCER 18 TO 8-12MM.

S.R.P.

€13,99

Art. no.: N7010630



8 715897 321481



8-12 mm

18 mm

Stainless steel Manifold

Stainless steel manifold with taps to distribute air to multiple outlets.


Made of stainless steel, so does not rust and is durable.



Air-Distributor



Air-Distributor



Air-Distributor



Professional air manifold with 3 taps for distributing air from larger air pumps to large air stones.

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

STAINLES AIR DISTRIBUTOR WITH 6 OUTLETS.

S.R.P.

€16,99

Art. no.: 08010090



8 715897 018794

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

STAINLES AIR DISTRIBUTOR WITH 12 OUTLETS.

S.R.P.

€24,99

Art. no.: 08010095



8 715897 018800

Connect to Ø18mm, the taps connect to air hose Ø4/6 mm.

STAINLES AIR DISTRIBUTOR WITH 18 OUTLETS.

S.R.P.

€34,99

Art. no.: 08010100



8 715897 018817

Connect to Ø18mm, the taps connect to reinforced air hose Ø8/12 mm.

STAINLES AIR DISTRIBUTOR 8MM 3 OUTLETS.

S.R.P.

€24,99

Art. no.: 08010087



8 715897 338953



Air-Connector

Plastic coupling for connecting a reinforced air hose (Ø 8/12 mm) to a standard air hose (Ø 4/6 mm).

SF AIR CONNECTOR 4-6/8-12 MM.

S.R.P.
€1,99

Art. no.: 07010255




Air Tube 8mm Y Connector

Plastic Y coupling for splitting reinforced air hose Ø 8/12 mm to 2 outlets.

SF AIR TUBE 8MM Y CONNECTOR.

S.R.P.
€1,99

Art. no.: 07010257



Air Tube 8mm connector

Plastic coupling for connecting reinforced 2 pieces of reinforced air hose Ø 8/12 mm.

SF AIR TUBE 8MM CONNECTOR.

S.R.P.
€1,99

Art. no.: 07010259



SF Air tube 8mm Return Valve

Check valve for reinforced air hose Ø 8/12 mm. Prevents water from flowing back through the air hose to the pump.

Protects your air pump from water damage!

SF AIR TUBE 8MM NON RETURN VALVE.

S.R.P.
€2,99

Art. no.: 07010261



BubbleTube T-piece 16mm

Handy T-piece for making a round bubble tube and connecting it to armed air hose Ø8-16 mm.

KOI PRO BUBBLE TUBE T PIECE 16MM.

S.R.P.
€1,99

Art. no.: 08010180



Bubble Tube Endcap 16mm

End cap to seal the end of a piece of Koi Pro bubble tube Ø 16 mm.

KOI PRO BUBBLE TUBE END CAP 16 MM.

S.R.P.
€1,99

Art. no.: 08010185



Bubble Connector 16-8mm

Plastic coupling for connecting a bubble tube (Ø 16 mm) to a reinforced air hose Ø 8/12 mm.

KOI PRO BUBBLE CONNECTOR 16-8/12 MM.

S.R.P.
€3,99

Art. no.: 08010190



BubbleTube 25-16mm 30 meter

Perforated rubber air hose. This hose allows you to create your own tailor-made load system for the pond.

The micro pores in the hose create very small air bubbles for optimum pond water aeration.

The hose needs to be weighted down or secured to the bottom to prevent floating.

Supplied on a 30-metre roll, this bubble tube is also available by the metre from your Koi Pro dealer.

KOI PRO BUBBLE TUBE 25-16MM 30 METERS.

S.R.P.
€7,49

Art. no.: 08010175



Reinforced air hose

Reinforced air hose for connecting larger air stones and air pumps.



The reinforcement makes the hose extremely strong and does not kink!

Supplied on a handy 10-metre roll.

AIR TUBE REINFORCED 8/12 MM 10 MTR.

S.R.P.
€27,49

Art. no.: 08060110



Air-Stones.

Hi-Oxygen Airstone

These grey air stones are made of quartz sand and fired at high temperature allowing the stones to produce very fine air bubbles that last longer.


Always ensure sufficient and quality outflow to avoid unnecessary wear and tear on your air pump.



HI OXY AIR STONE 13 X 3 CM BLISTER.

S.R.P.
€5,99

Art. no.: 08010120



HI OXY AIR STONE 7X1,5 CM BLISTER 2 PCS.

S.R.P.
€4,49

Art. no.: 08010125



HI OXY AIR STONE XXL 50 MM BLISTER.

S.R.P.
€3,49

Art. no.: 08010130



HI OXYGEN AIR STONE XXL 50 MM BOX 216 PCS.

S.R.P.
€2,59

Art. no.: 08010127



Hi-Oxygen Koi airstone		Air hose
Art. 08010120	22 x 4 cm	Ø 4-6 mm
Art. 08010125	7x1,5 cm 2 stuks	Ø 4-6 mm
Art. 08010130	50 mm XXL	Ø 4-6 , Ø 8 mm armed Air hose



Hi-Oxygen Disk



HI OXYGEN DISK Ø. 10CM.

S.R.P.
€6,99

Art. no.: 08010103



HI OXYGEN DISK Ø. 20CM.

S.R.P.
€25,99

Art. no.: 08010105



Hi-Oxygen Koi Airstone



HI OXYGEN KOI AIR STONE 22 X 4 CM.

S.R.P.
€16,99

Art. no.: 08010110



HI OXYGEN KOI AIR STONE 30 X 5 CM.

S.R.P.
€24,99

Art. no.: 08010115



Hi-Oxy disk		Air hose
Art. 08010103	Ø 10 cm	Ø 4-6 mm
Art. 08010105	Ø 20 cm	Ø 8-12 mm armed Air hose

Hi-Oxygen Koi airstone		Air hose
Art. 08010110	22 x 4 cm	Ø 4-6 mm
Art. 08010115	30 x 5 cm	Ø 4-6 mm

Koi Pro Fish Feeder

Koi Pro Fish Feeder

With the SuperFish Koi Pro Fish Feeder fish can be automatically feed. Easily adjustable to enable 1 to 24 feedings per day. Suitable for feed pellets from 2 to 9 mm.



The capacity of the feed container is 7 litres. The amount of feed is adjustable per feeding. An insert makes the feeder suitable for feeding small or large pellets.

Can be conveniently mounted with the mounting bracket (included) for wall and floor mounting. Complete with a tightly closing lid.

Supplied ready to use with 10-metre outdoor cable and 2-year warranty.

SF KOI PRO FISH FEEDER.

S.R.P.

€124,99

Art. no.: 06090191



8 715897 300158



User-friendly control unit



Replaceable control unit




Wall and floor mounting




Easily closable lid


The insert makes the feeder suitable for different sizes of feed pellets



Without insert
Suitable for Large pellets
± 9 mm



With insert ring
Suitable for Medium pellets
± 6 mm



With insert ring and insert disc
Suitable for Small pellets
± 3 mm



DigiTest 4-in-1

Accurate digital 4-in-1 meter for measuring the conductivity (EC), total dissolved solids (TDS), acidity (pH) and temperature (°C/°F) of your pond water all in one measurement.

4-in-1 digital test pen for quick test results. Equipped with automatic shut-off.

Plug & Play, easy to calibrate. PH calibration powders included.

Supplied with batteries and 1-year warranty.

KOI PRO DIGI TEST 4 IN 1.

S.R.P.

€59,99

Art. no.: 06070500



8 715897 338915

Floating Fish cage

Floating fish cage equipped with fine mesh net for temporarily isolating Koi in your pond. Easy to assemble and handle.

Features zippered top closure and packed in handy case.

KP FLOATING FISH CAGE 50X50X50 CM.

S.R.P.

€59,99

Art. no.: 09060055



8 715897 308710

KP FLOATING FISH CAGE 70X70X70 CM.

S.R.P.

€77,49

Art. no.: 09060060



8 715897 308727

Spawning Brushes

Breeding your own Koi? All you need is one female at least two males and a spacious pond. Let the deposit brushes float in the pond and nature will do the rest.

Deposit brush on which Koi can deposit their spawn. The Koi's reproductive season runs from April to June.

Set of 2 packaged in box that protects the brush from damage.

KOI PRO SPAWNING BRUSH BOX 2 PCS.

S.R.P.

€29,99

Art. no.: 08060660



8 715897 033971



Bowls, covers & measuring trays



Koi Pro Koi Bowls

Handy bowls in various sizes for showing, handling, temporary keeping or transporting fish.

The round design prevents fish from bumping or damaging themselves.

KOI PRO BLUE KOI BOWL 50 CM.

S.R.P.

€25,99

Art. no.: 09060008



8 715897 037467

KOI PRO BLUE KOI BOWL 67 CM.

S.R.P.

€34,99

Art. no.: 09060011



8 715897 037474

KOI PRO BLUE KOI BOWL 80 CM.

S.R.P.

€94,99

Art. no.: 09060012



8 715897 028380



Koi Pro Zipcover

Handy Zipcovers to place on the Koi bowls in various sizes.

You can buy a cover net from your Koi Pro dealer that will prevent the fish from jumping out of the bowl.

KOI PRO BOWL ZIP COVER 67 CM.

S.R.P.

€11,99

Art. no.: 09060030



8 715897 038105

KOI PRO BOWL ZIP COVER 80 CM.

S.R.P.

€14,99

Art. no.: 09060032



8 715897 028410

Koi measuring tank

Inexpensive plastic measuring container for measuring the length of your fish.

Equipped with clearly readable measuring tape.

Also suitable for checking or photographing fish, for example.



PLASTIC KOI MEASURING TANK 80 CM.

S.R.P.

€33,99

Art. no.: 09060044



8 715897 037481

POLYESTER KOI MEASURING TANK 115CM.

S.R.P.

€114,99

Art. no.: 09060045



8 715897 002366

Koi Pro Koi nets



Japan Halfround

Koi Net with a high-quality fixed wooden handle. The net is concealed in the aluminium net edge preventing it from wearing out and making it last for years!

Strong semi-circular Japan net, perfect for catching Koi and pond fish from 5 to 25 cm.

JAPAN NET HALF ROUND 35CM HANDLE 60 CM.

S.R.P.

€45,99

Art. no.: 09050220



8 715897 002403

Using a good net is important to avoid damage to fish and unnecessary stress.

Japan net

Koi Net with a high-quality fixed wooden handle. The net is concealed in the aluminium net edge preventing it from wearing out and making it last for years!

Round pan net, used in Japan for selecting and transferring small Koi.

JAPAN NET Ø 25 CM HANDLE 16 CM.

S.R.P.

€21,99

Art. no.: 09050215



8 715897 002380

Strong round Japan net, perfect for catching Koi and pond fish from 5 to 25 cm.

JAPAN NET Ø 35 CM HANDLE 60 CM.

S.R.P.

€45,99

Art. no.: 09050217



8 715897 044694



Alu Koi net

Koi Pro aluminium Koi Nets are light, strong, do not rust and are easy to handle.

These scoop nets are specially made for Koi. Minimising the chance of damaging the fins by floundering fish. The Koi will lie quietly in the net with use of a Koi sok the fish can be removed from the net.

The round nets have a two part handle complete with a case making it convenient to transport and store.

KP ALLOY NET Ø 60 CM HANDLE 250 CM.

S.R.P.

€139,99

Art. no.: 09050540



8 715897 241291

KP ALLOY NET Ø 80 CM HANDLE 300 CM.

S.R.P.

€169,99

Art. no.: 09050545



8 715897 241307



Replacement nets

Original replacement net for Koi Pro Scherpnet.

KP REPLACEMENT ROUND 60 CM.

S.R.P.

€7,99

Art. no.: 09050515



8 715897 229329

KP REPLACEMENT ROUND 80 CM.

S.R.P.

€10,99

Art. no.: 09050525



8 715897 229343

KP REPLACEMENT ROUND 70 CM.

S.R.P.

€9,99

Art. no.: 09050520



8 715897 229336

KP REPLACEMENT ROUND 100 CM.

S.R.P.

€15,99

Art. no.: 09050530



8 715897 229350